

De g a d P

f F a e V d C

e c

Ab ac :



RKEP

FVRB H

XVQFH

Fa g e ca e e da ag a f 3D ed

Ab ac :

Ke d

Effec f S face T ea e I e fac a P e f G a
F be /e C e a H g Te e a e

Ab ac :

Ke d

B ef CV f Re e
F Ya

P e a a f F c a N a f b e M e b a e a d I A
ca e F e d f E e a

Ab ac :

A H g -Va e, L -C Rec c g f Wa e F be Re f ced Pa c

Ab ac :

,

Ke d

B ef CV f Re e

3D P g f H g - e f a ce C Ca b F be
Re f ced T e a c

Ab ac :

Ke d

B ef CV f Re e

E a a f Ve H g C c e Fa g e P e f CFRP La a e
b U g U a c Fa g e Te g Tec e

Ab ac :

Ke d

B ef CV f Re e

A -f c a g a e e/Ca g ga ea a

3D W e C e : A P g P a f f A d a ced
M f c a S c e

Ab ac :

Ke d

蚕丝的功能化与丝素蛋白基新材料

Bac e a Ce e/C a C e Ba ed Ae ge f
P e e e Se a d M f c a Ad be

Ab ac :

/0

~~МОН~~ Б СгУ Н

De g f T ee D e a H -S c ed Fab c C e
a d T e C e P e

Ab ac :

Ke d

B ef CV f Re e

P e a a

e

P

:

Ab ac :

Si 0022mmW @ 00 SR P3pYA 3p
R 05%om M Đ ð

Xi, 0000P @ 0500, 2



Effec f a f e e ec a ca e a d a e e
e f e a e e e

Ab ac :

Ke d

B ef CV f Re e

Deformation Mechanism of Nano Layered Solid

*1. Department of Mechanical Engineering, Faculty of Engineering,
University of Fukui, Fukui, Japan*

Abstract:

Keyword

Brief CV of Reporter